

Urine Drug Screen Chart

Compliments of
(800) 442-0438



STERLING
REFERENCE LABORATORIES
a division of regional toxicology services, llc

Drug Classification	Street/Trade Names	Approx Window of Detection	Screen Cutoff ng/ml	Method of Use	Duration of Use	Possible Effects	Possible Effects of Overdose
Amphetamines: Includes Amphetamine, Methamphetamine and Ecstasy (<i>Stimulant</i>)	Crystal, Ecstasy (MDMA), Crank, Speed, Meth, Bennies, Uppers, Black Beauties, Desoxyn, Adderall, Dexedrine, MDA, "E", "X", Pane,	1 - 2 Days (Longer for high use)	1000	Oral, Injected, Snorted, Smoked (Freebased)	2-4 Hours	Increased alertness, excitation, euphoria, increased pulse rate, loss of appetite, insomnia	Agitation, increased body temperature, hallucinations, convulsions, possible death
Barbiturates (<i>Depressant</i>)	Reds, Seconal, Downers, Peanuts, Goofballs, Amytal, Butisol, Fiorinal, Nembutal, Phenobarbital, Tuinal	1 Day-short acting 2-3 Weeks-long acting	200	Oral, Injected	1-16 Hours	Slurred speech, disorientation, Loss of inhibitions – memory, Impaired judgment	Shallow respiration, cold & clammy skin, weak & rapid pulse, coma, possible death
Benzodiazepines (<i>Depressant</i>)	Tranks, Ativan, Diazepam, Librium, Lorazepam, Valium, Clonazepam, Halcion, Prazepam, Oxazepam, Xanax	3 - 5 Days (Up to 3 weeks/ longer for prolonged use)	200	Oral, Injected	4-8 Hours	Slurred speech, disorientation, loss of inhibitions – memory, Impaired judgment	Shallow respiration, cold & clammy skin, weak & rapid pulse, coma, possible death
Buprenorphine (<i>Opioid</i>)	Suboxone, Subutex, Bupe, Sub(s), Subbies, Subz	1 - 3 Days	20	Oral, Injected, Smoked, Snorted	3-6 Hours	Euphoria, drowsiness, respiratory depression, constricted pupils, nausea	Slow & shallow breathing, clammy skin, convulsions, coma, possible death
Cocaine (<i>Stimulant</i>)	Coke, Flake, Snow, Crack, Nose Candy	2 - 4 Days (Up to 7 days/longer for chronic high use)	300	Snorted, Injected, Smoked (Freebased)	1-2 Hours	Increased alertness, excitation, euphoria, increased pulse rate, loss of appetite, insomnia	Agitation, increased body temperature, hallucinations, convulsions, possible death
Ecstasy (<i>Stimulant</i>)	"E", "X", Adam, KTC, Love/Hug Drug, Beans, Clarity	1 - 2 Days (Longer for high use)	500	Oral, Snorted, Smoked (Freebased), Injected	2-4 Hours	Increased alertness, excitation, euphoria, increased pulse rate, loss of appetite, insomnia	Agitation, increased body temperature, hallucinations, convulsions, possible death
Ethanol [Alcohol] (<i>Depressant</i>)	Alcohol, Booze, Liquor, Spirits, Wine	2 - 14 Hours	20 mg/dl	Oral	1 Hour per drink	Slurred speech, disorientation, loss of inhibitions – memory, impaired judgment	Shallow respiration, cold & clammy skin, weak & rapid pulse, coma, possible death
Ethylglucuronide (<i>Ethanol Metabolite</i>)	N/A – unique metabolite resulting from ethanol exposure	Up to 96 hours	250	Oral	N/A	See Ethanol	See Ethanol
Methadone (<i>Narcotic</i>)	Synthetic narcotic, Dolophine, Methadose, Dome	3 Days	300	Oral, Injected	12-24 Hours	Euphoria, drowsiness, respiratory depression, constricted pupils, nausea	Slow & shallow breathing, clammy skin, convulsions, coma, possible death
Opiates [Codeine-Morphine-Heroin & synthetics] (<i>Narcotic</i>)	Smack, Horse, Big M, Junk, Dovers powder, Robitussin A-C, Tylenol w/codeine, MS Contin, Dura-morph, Vicodin, Hydrocodone, Dilaudid	1 - 3 Days	300	Oral, Injected, Smoked, Snorted	3-6 Hours	Euphoria, drowsiness, respiratory depression, constricted pupils, nausea	Slow & shallow breathing, clammy skin, convulsions, coma, possible death
Oxycodone [Oxymorphone] (<i>Narcotic</i>)	Percocet, Percodan, Oxycontin, Numorphone, OC, Killer	1 – 3 Days	100	Same as above	3-6 Hours	Same as above	Same as above
Phencyclidine [PCP] (<i>Hallucinogen</i>)	PCP, Angel Dust, Hog, Killer Weed	5 - 8 Days (Up to 30 days for chronic use)	25	Oral, Injected, Smoked	Variable	Illusions, poor perception of time & distance, hallucinations	Longer & more intense "trip" episodes, awake coma, bizarre behavior, psychosis, possible death
Propoxyphene (<i>Narcotic</i>)	Darvon, Darvocet	1 - 2 Days	300	Oral	Variable	Euphoria, drowsiness, respiratory depression, constricted pupils, nausea	Slow & shallow breathing, clammy skin, convulsions, coma, possible death
THC (Marijuana) (<i>Cannabis</i>)	Weed, Pot, Grass, Gold, MJ, Bud, Bhang, Ganja	5 days moderate use 10 Days heavy use Up to 2 months heavy chronic use	20 or 50	Oral, Smoked	2-4 Hours	Euphoria, lack of motivation, short term memory loss, lowered productivity, increased appetite	Fatigue, paranoia.

Note: This information is intended to be used as a guideline and should not be applied to any particular individual.

sales@regtox.com

© SRL Rev 01-2010