

# Specialty Tests Available!

**Flunitrazepam** (Rohypnol<sup>®</sup>) a hypnotic drug that has sedative, anticonvulsant, anxiolytic, amnestic, hypnotic and skeletal muscle relaxant properties. It acts as a short/intermediate acting benzodiazepine and is prescribed for the treatment of severe insomnia.

*It is not available in the United States and is used illegally as a "date rape" drug.*

*Rohypnol tablets are white and are single- or cross-scored on one side with "ROCHE" and "1" or "2" encircled.*



**Tramadol** (Ultram<sup>®</sup>) a centrally acting analgesic used for treating moderate to severe pain.



**Meperidine** (Demerol<sup>®</sup>) a fast-acting opioid analgesic drug indicated for the treatment of moderate to severe pain. It is administered as its hydrochloride salt in tablets, as a syrup, or by intramuscular or intravenous injection.



**Carisoprodol** (Soma<sup>®</sup>) a muscle relaxer that works by blocking pain sensations between the nerves and the brain.



**Fentanyl** A synthetic primary  $\mu$ -opioid agonist commonly used to treat chronic breakthrough pain and is commonly used in pre-procedures. It is approximately 100 times more potent than morphine.



**6-Acetylmorphine (6-AM)** A unique metabolite of heroin. This is significant because on a urine immunoassay drug screen, the opiate test typically tests for morphine, which is a metabolite of a number of legal and illegal opiates/opioids such as codeine, morphine sulfate, and heroin. 6-AM remains in the urine for approximately 12-16 hours so a urine specimen must be collected soon after the last heroin use, but the presence of 6-AM is conclusive evidence that heroin was recently used.



## Call our Sales Department for pricing

**1-800-442-0438 or Sales@RegTox.com**

STERLING References Laboratories 2617 East L Street, Tacoma, Washington 98421